



Innovation at the heart of our profession for efficient and responsible irrigation

Key figures

40 years of experience

150 employees

60% international sales

27 countries

+500k on-site products





Stadiums & golf courses



Residential compounds

FREE APP & ONLINE PLATFORM





MANAGE YOUR IRRIGATION SYSTEM EASILY WITH OUR APP

Download our free app MySOLEM on the App Store or on Google Play. MySOLEM App is optimized with the Bluetooth® Smart V4 version available on most tablets and smartphones from the App Store or Google Play.










A PLATFORM MADE **FOR PROFESSIONALS**

MySOLEM CANOPY, CLUSTER & PRO ACCOUNT

are powerful online management features designed to help professionals to easily create groups to monitor their entire system. They can efficiently gather irrigation data and autonomously execute programs following preset rules and criteria.







MY CONNECTED URBAN SPACES

FUNCTIONALITIES

IRRIGATION

Gateways

LR-MB

Irrigation Station 4G Gateway & climate data

LR-BST-REACT 4G Gateway

Controllers

20 LR-PM / RELAY 9V for Master Valve or Pump

24 LR-IP 9V Controller

25 LR-IP-ECO 9V Sustainable Controller O ECO RANGE

LR-IS **AC Controller**

Connected sensors

LR-MS 9V Sensor Module

LR-MS-ECO 9V Sustainable Sensor Module

Sondes Individual Sensors or in Kit

34 LR-PR 9V Connected Pressure Sensors Kit

LIGHTING & AUTOMATION

LR-OL AC Powered Automation Controller





SMART-IS

AC Powered WiFi Controller

VILLA

AC Powered WiFi Controller with Screen NEW

SHORT RANGE IRRIGATION



WooBee 9V Controller with Screen

BL-IP

9V Controller



SCANOPY

Your Irrigation: Past, Present & Future

Sites' Management The CANOPY feature is available on the MySOLEM platform and allows you to manage the connected areas of your city. Define and visualize your irrigation sites Gain time thanks to bulk orders Give the complet or partial access to your maintenance teams Or Geolocate your equipment

DASHBOARD


All your data in the blink of an eye

Visualize the operating state of your sites' equipment with our dedicated dashboard. Be instantly notified of any system anomalies, such as how many modules are down and where to dispatch your maintenance team.

Constitution of Labors Consti

SUPERVISION

History & Control



Monitor the effectiveness of irrigation with graphical representation.

Verify the compliance of your hydraulic network by associating your valves and sensors.

Customize your monitoring interface with your own supervision tabs.








A specific app & platform for your city

- **Customized** management of user rights
- Transfer your data to the hypervisor of your city using a dedicated API
- **Optimized platform & application** for large-scale installation management



FUNCTIONALITIES

CHECK YOUR ENTIRE WATERING PROGRAMS thanks to CLUSTER



With CLUSTER you can easily organize, program, and automate a group of controllers associated with a main line from a single screen.

Visualize your overall daily water usage or individual stations



Prioritize your controllers within the cluster and sequence automatically each programmed lane. Automatic recalculation based on the Water budget



Synchronize automatically your master valve in order to avoid overpressure risks




Parallel programming of several stations by creating subprograms



A selection of compatible products

CLUSTER enables to group the following controllers: LR-IP, LR-IS, and SMART-IS.



AUTOMATION

MYSOLEM EVOLUTION

New features for smart irrigation

MYSOLEM AUTOMATION

Let your sensors control your valves





Satellite view

Visualize the impact and evolution of your irrigation. A snapshot is available every 5 days on average.



SOLEM also provides solutions for **sport fields**, **stadiums**, **residential green spaces** and **camping grounds**.

Contact us for further information.


Exploit your data to automate your irrigation

Start and stop a main valve or a pump


Turn on or off all of your modules automatically

By defining min/max thresholds for your sensors, you can automate actions on your controllers via the MySOLEM platform.

Irrigate at the right time, with the right volume of water.










Automatically set your water budget according to the local weather forecast

Optimize your irrigation & save water!

- Thank to its geolocation, each of your controllers can connect to the local weather forecast via the internet.
- Define your automatic water budget activation rules (from 0 to 200%) according to rain and drought.
- Available via the MySOLEM platform, this advanced feature checks 2 times per day (5am / 5pm) the activation of your defined rules according to the weather forecast.



Control your water consumption easily, from anywhere!

- Connect a water meter to your controllers to monitor your consumption and to detect leaks.
- Automatically stop your pump or master valve using the MySOLEM plateform.
- Set up a threshold based on your needs.




AUTOMATE YOUR ENTIRE IRRIGATION SYSTEM

CONTROL TOOK ENTINE MANAGAMENT STOTEM

CONTROL YOUR IRRIGATION REMOTELY WITH LORATM

WITH SOLEM



LONG RANGE IRRIGATION

CONTROL YOUR IRRIGATION SYSTEM REMOTELY FROM ANYWHERE WITH LORATM

Connect your modules using LoRa™ radio technology to create remotely operated installations with reliable and low-energy connectivity. Easily deploy SOLEM controllers in your garden with no extra wiring or power supply required.

























The LR-MB is an AC-powered indoor gateway that connects through WiFi. It can remotely manage 10 to 30 LoRa™ radio modules, depending on the chosen version. Simply transfer your programming and settings to be alerted in real-time and from anywhere!

Range to module	800 [*] m	Connection	WiFi Lora Bluetooth
Modules	10/30	Control	Remote
Power	12VAC 廿		





^{*} Range may vary depending on the installation's configuration



The irrigation station is a 4G outdoor gateway communicating through its SIM card. It is 100% solar-panel autonomous and pre-equipped with four probes. It is a weather station providing climate and gateway data capable of remotely managing up to 144 stations (24 modules) via LoRa™ radio. Simply transfer your programming and settings to be alerted in real-time from anywhere! You can then group together all your sensor data for visualization.

Range to module	800^* m / 875 * yds	Connection	🖟 G Lora 🚷 Bluetooth
Modules	up to 24	Installation	
Power		Control	Remote

A NO
Features
OUTDOOR
CLIMATE DATA PRE-EQUIPED WITH SENSORS
SOLAR POWER
REAL TIME CONNECTION ¹





4G Gateway to manage your modules remotely

The LR-BST-REACT is an outdoor 4G gateway communicating through its SIM card, remotely managing up to 25 modules. It is ideal for isolated green spaces without WiFi and/or for spaces without a power supply, given that the station can either be plugged into the mains or fully autonomous when connected directly to a solar panel. Simply transfer your programming and settings to be alerted in real-time from anywhere!

Range to module	800 * m / 875* yds	Connection	🖟 🕻 🖟 🖁 Bluetooth
Modules	up to 25	Installation	
Power	\$\frac{1}{2}\$	Control	Remote



¹ Synchronization with the server every 15 minutes





SCAN TO VIEW SPECIFICATIONS

^{*} Range up to 800m. Range may vary depending the installation's configuration.


¹ Synchronization with the server every 15 minutes

^{*} Range up to 800m. Range may vary depending the installation's configuration.



The LR-PM is a battery-powered, waterproof Bluetooth® and LoRaTM watering controller capable of controlling a master valve or a pump. Paired with a WiFi or 4G gateway, it automatically synchronizes the programming of all controllers connected to the same water network (LR-IP and LR-IS compatible). View all your programs at a glance and optimize pump flow according to your valve programming.

Compatibility		Connection	Loga (3) Bluetooth
Stations	1	Range to gateway	800 * _{m / 875* yds}
Power	9V	Control	Remote DD D






Compatibility	Any type of device (up to 230V-16A)	Wire connection	For input and output
Input	1	Max. distance to wire	For input 30 m

Control **remotely**

Remotely operable with a LoRa™ or Bluetooth® controller (associeted to a LR-MB or LR-BST-REACT access point).





^{*} Range up to 800m. Range may vary depending the installation's configuration.






The RELAY can be used to control any type of electrical device (e.x. pump) from a 9V LoRa™ and Bluetooth® controller. The watering command from the controller opens or closes the RELAY.





The LR-IP is a battery-powered, waterproof Bluetooth® and LoRa™ irrigation controller capable to program 9V solenoid valves sequentially. It is ideal for underground installations: no need to open manholes! It can be remotely controlled from anywhere when paired with a WiFi or 4G gateway. When connected to a water meter, it monitors your water consumption and allows you to receive real-time alerts in the event of under or overflow leaks.

Compatibility	9V	Inputs	or or ge
Power	9V +-	Connection	LoRa Bluetooth
Stations	1/2/4/6	Control	Remote




* Range up to 800m. Range may vary depending the installation's configuration.





The LR-IP-ECO is a battery-powered, waterproof Bluetooth® and LoRa™ irrigation controller that shares the same features as the LR-IP. It also features a rechargeable battery, powered by a turbine installed on the pipe, to extend the life of the 9V battery. Thanks to the turbine, measure your daily water consumption and control the flow and leak risks.

Compatibility	9V ••••	Connection	Lora 🚯 Bluetooth
Stations	1/2/4/6	Control	Remote 🔲 🔲 😂
Power	Turbine 9V		





LONG RANGE

WATERPROOF

AUTOMATIC WATER BUDGET p.14

WATER CONSUMPTION MONITORING

INTEGRETED FLOWMETER

EXTENDED 9V BATTERY LIFE







^{*} Range up to 800m. Range may vary depending the installation's configuration.





3-year

The LR-IS is an AC-powered Bluetooth® and LoRa™ irrigation controller capable to program 24VAC solenoid valves sequentially. It is ideal for indoor installations. Paired with a WiFi or 4G gateway, it can be remotely controlled from anywhere.

Inputs		Connection	Lora Bluetooth
Stations	2/4/6/9/12	Control	Remote



LONG RANGE

INDOOR

AUTOMATIC WATER BUDGET p.14

WATER CONSUMPTION MONITORING p.15

SCAN TO VIEW SPECIFICATIONS

^{*} Range up to 800m. Range may vary depending the installation's configuration.









The LR MS is a battery-powered, waterproof LoRa™ sensor data acquisition module. It can connect a wide range of sensors, from weather probes (rain, humidity, anemometry and temperature) to water meters, soil moisture probes, pressure sensors, level sensors and more. Paired with a WiFi or 4G gateway, access your data from anywhere. On the MySOLEM.com platform, view and retrieve your data, and even automate your watering according to your set thresholds for each sensor. Choose the version compatible with the sensors you plan on using.

Compatibility	∌ () ()	Connection	🚯 Bluetooth 🐧 Lora
Inputs	1/4	Distance to sensor	30 m / 33 yds
Power	9V	Control	Remote

Compatibility	ಕೆ ◊ ೧	Connection	Bluetooth LogRa
Inputs	1/4	Distance to sensor	30 m / 33 yds
Power	ev P	Control	Remote 🔲 🔲 🚭

The LR-MS-ECO is a battery-powered, waterproof LoRa™ sensor data acquisition module that shares the same features as the

LR-MS. It also features a rechargeable battery powered by a photovoltaic panel to extend the life of the 9V battery. Paired with



Features

LONG RANGE

WATERPROOF

MULTI-SENSOR

ALERT THRESHOLDS

DATA EXPORT

Extended versions

SDI-12 PROTOCOL

NEW

RS-485 PROTOCOL

NEW





Features

a WiFi or 4G gateway, access your data from anywhere.

LONG RANGE

WATERPROOF

MULTI-SENSOR

ALERT THRESHOLDS

DATA EXPORT

EXTENDED 9V BATTERY LIFE









Connected Sensors

Customize the monitoring of your irrigation system



WATERMARK humidity tensiometer



WATERSCOUT SM100 / SMT50 / DECA-GON EC-5 & EC-10 HS humidity sensor



HONDE rain gauge



IED ELECTRONICS

ANEMO4403 anemomete



Pulse water meter



T100 temperature sensor



UBACONTROL / WIKA pressure switch



HM 1500 LF hygrometric sensor



712 HUBACONTROL level sensor



How to choose your sensor module?

SCAN TO VIEW THE COMPATIBILITY BETWEEN OUR SENSOR MODULES AND PROBES




Level Sensor


Measure and track the level of your water tank

The Type 712 level probe can be used to measure any type of tank. When connected to an LR-MS probe module associated with a gateway, it will provide data feedback and alert you according to the defined parameters.

Be aware of your tank water level at all times

Once you set level alerts via MySOLEM internet platform, you will be able to switch on the pump if the water level is critically low or turn it off to avoid leakage.













The LR-PR is a kit composed of a Bluetooth® / LoRa™ acquisition module equipped with a pressure sensor. The kit transmits pressure data from 0 to 16 bars to the MySOLEM online platform. Once the thresholds are defined, MySOLEM will alert you in case of overpressure so you can protect your equipment. It can also automatically stop your pump to prevent any leaks or damage to your system.

Compatibility	©	Connection	Loĝa (🕃 Bluetooth
Input	1	Range to gateway	800 * m / 875* yds
Power	9V +-	Control	Remote

The pressure switch guarantees the proper functioning of your solenoid valves depending on the programming of your controllers. It is also helpful when analyzing technical problems in the hydraulic network. Receive an alert on your mobile phone or by e-mail in case of anomaly.

Pressure Switch

Pressure switch for controllers

LR-IP/LR-IS/LR-PM Compatibility Wire connection



DETECTORS



Features

WATERPROOF

PRESSURE CONTROL


SECURING THE HYDRAULIC NETWORK

ALERT THRESHOLDS

DATA EXTRACTION










*The warranty covers the sensor module only.









AC Powered Long Range Lighting & Electrical Controller

The LR-OL is a battery-powered Bluetooth® and LoRa™ relay module capable of programming up to 4 distinct lighting and garden automation zones: garden lighting, pump, fountain lighting, and more. Paired with a WiFi or 4G gateway, it can be controlled remotely from anywhere.

Compatibility	Ÿ ‡ 🗂	Connection	Lora 🚷 Bluetooth
Line	4	Control	Remote
Power	24 VAC		

Simulate your presence in your absence

Save energy!

Design a smart program for your lighting in different areas and keep the lights on only when necessary.







3-year WARRANTY

The SMART-IS is an AC-powered indoor Bluetooth® irrigation controller that connects directly to a WiFi box. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it enables you to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow.


Stations	2/4/6/9/12	Control	Remote DD D
Inputs	or or	Connection	Bluetooth Wifi
Compatibility	24VAC	Power	24 VAC




The VILLA is an AC-powered, waterproof Bluetooth® irrigation controller that connects directly to a WiFi box. It features a large

display and buttons for easy use. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it enables you

to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow.











ON/OFF

Manual command

Add a sensor

Programs

ON/OFF





The BL-IP is a battery-powered, waterproof Bluetooth® irrigation controller capable to program 9V solenoid valves sequentially. Its use is ideal for underground installations: no need to open manholes!

Compatibility	9V 🚟	Connection	Bluetooth °			
Stations	1/2/4/6	Distance to solenoid	30 m			
Power	9V +-	Control	Short range			



Features

SHORT RANGE: 10m

WATERPROOF

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET

NEW









The WooBee is a battery-powered, waterproof Bluetooth® irrigation controller capable to program 9V solenoid valves sequentially. It also features a large display for easy use. Its water meter input enables you to take action in the event of leaks, over- or underconsumption of water.

Stations	1/2/4/6	Control	Short range
Input	or I	Connection	Bluetooth*
Compatibility	9V	Power	1x9V or 4xAAA



Features

SHORT RANGE: 10m

WATERPROOF

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET

NEW

WATER USE & LEAKS

SCREEN & BUTTONS







LEARN BY YOURSELF VIA OUR E-LEARNING ONLINE PLATFORM!







MySOLEM video tutorials




FAQ



Product documentation

FREE

support.mysolem.com







Request professional access

- 1. Go to https://support.mysolem.com/en.
- 2. Click « Request Access » at the upper right corner.
- 3. Click « Login with MySOLEM ».
- 4. Login via MySOLEM & fill in the form.
- 5. Validation of your access within 2 working days.





OUR PRODUCT RANGE

	<u>\$</u>			@	9	- - - - - - - - - - - - - - - - - - -	Ÿ	**	<u>WiFi</u>	Lora	4 G	ANTI-THEFT		Ÿ		
				Applio	cation			(Commu	nication	า		Pov	wer		
	Internet gateway	Irrigation	Water meter	Pressure	Pressure switch	Sensors	LIGHTING	Bluetooth®	WiFi	LoRa™	4G	ANTI-THEFT	9V battery	230V AC power	Solar power	Inputs/Outputs/ Number of stations
Close-range management,	battery or	AC po	wered										·			
WooBee		•	•					•				•	•			1-2-4-6 stations
BL-IP		•						•				•	•			1-2-4-6 stations
Wi-Fi remote access, AC p	owered															
SMART-IS		•	•	•				•	•			•		•		
VILLA		•	•		•			•	•			•		•		2-4-6-9-12 stations
Remote access, long range	, battery c	or AC p	owered												<u>'</u>	
Station d'irrigation	•					•		•		•	•	•		•	•	25 modules
LR-BST-REACT	•							•		•	•	•		•	•	25 modules
LR-MB	•							•	•	•		•		•		30 modules
LR-PM		•	•		•			•		•		•	•			1 water meter input 1 main valve / pump outp
LR-IP		•	•		•			•		•			•			1-2-4-6 stations
LR-IP-ECO		•	•		•			•		•		•	•			1-2-4-6 stations
LR-IS		•	•		•			•		•		•		•		2-4-6-9-12 stations
LR-MS			•			•		•		•		•	•			1 temperature-dedicated in + 3 sensor or water meter in
LR-MS-ECO			•			•		•		•		•	•		•	1 temperature-dedicated in + 3 sensor or water meter in
LR-PR			•	•		•		•		•		•	•			1 pressure sensor inpu
LR-OL							•	•		•		•		•		4 inputs / outputs
RELAY		•														1 input / output

Lexicon:

BL: Bluetooth® **LR**: LoRa™

IP: 9V Battery IS: AC power **OL**: Outside Lighting **NR**: Misting Tap Timer

MB: Mother Board **MS**: Module Sensors

PM: Pump Management

PR: Pressure





CONTACT

To find out more about our different product ranges please contact us. Our team will be happy to help!

support@solem-irrigation.com | + 33 (0)4 67 59 99 73

commercial@solem-irrigation.com | + 33 (0)4 67 59 99 75

SOLEM is also an **expert** in **connected solutions** for:







RESIDENTIAL

solem-irrigation.com











ISO 9001 certification, version 2015, for the design, industrialization, manufacturing, sale and customer care of connected electronic products