



SOLEM

CONNECTED GARDEN

WATERING | POOL | LIGHTING

solem-irrigation.com

2025 EDITION

FREE APPS



GARDEN WATERING MADE EASY!

Program and control the watering of your garden remotely with the MySOLEM app.




To discover in 2025

Activate the Eco Mode during the winter season to extend the life of your batteries. You can increase it even more by activating it during the watering season too.



CONTROL YOUR HOME EXTERIOR REMOTELY

MyGARDEN allows you to control your garden watering, outdoor pool, and architectural lighting through a free and easy-to-use application. This application is also compatible with MySOLEM.




FREE ONLINE PLATFORM



AN ONLINE MANAGEMENT PLATFORM MADE BY IRRIGATION PROFESSIONALS FOR IRRIGATION PROFESSIONALS

To access additional features (not available on the apps) such as bulk orders, site management, site cartography (CANOPY), and user management (Pro account), access our online platform at [MySOLEM.com](https://www.mysolem.com) from a computer. All your programs and products are automatically synchronized on real time on the online platform and the apps.



SHORT RANGE WATERING

07	BL-NR	9V Watering & Misting Tap Timer Controller
08	BL-IP	9V Controller
09	WOOBEE	9V Controller with Screen
10	BL-IS	AC Powered Controller

REMOTE WATERING

14	SMART-IS	AC Powered Indoor Controller
15	VILLA	AC Powered Outdoor Controller with a Screen NEW

CONNECTED GARDEN



GATEWAY

19	LR-MB	WiFi Indoor Gateway
----	--------------	---------------------



WATERING

Controllers

21	LR-NR	9V Watering & Misting Tap Timer Controller NEW
22	LR-IP	9V Controller
23	LR-IP-ECO KIT	9V Controller with Built-In Flowmeter ECO RANGE
25	LR-IS	AC Powered Controller

Connected sensors

27	Sensors	Individual Sensors or in Kit
28	LR-MS	9V Sensor Module
29	LR-MS-ECO KIT	9V Sensor Module with a Solar Panel ECO RANGE



POOL

32	POOL BOX LT	Filtration Controller & Pool Analyser
33	POOL SENSE	9V Floating Pool Analyser



LIGHTING & AUTOMATION

35	LR-OL	AC Powered Automation Controller
----	--------------	----------------------------------

SHORT RANGE WATERING

BLUETOOTH® ONLY
CONTROLLERS FOR WATERING



BL-NR

**9V Watering & Misting
Tap Timer Controller**

3-year
WARRANTY

The BL-NR is a battery-operated Bluetooth® tap timer controller that can be programmed from a smartphone using the MySOLEM app. A smart and simple solution for watering and/or misting your lawn or garden!

Compatibility		Connection	Bluetooth®
Station	1	Control	Short range
Power			

Our most
user-friendly controller!

It only takes a few minutes to install.
Screw the controller onto your garden tap.
Add a dripline or oscillating sprinkler.
Insert a battery and pair the BL-NR to Bluetooth®.
Start setting up your programs!



Features

- SHORT RANGE: 10m
- WATERING
- MISTING

SCAN TO VIEW
SPECIFICATIONS












BL-IP

9V Controller

3-year WARRANTY

The BL-IP is a battery-powered, waterproof Bluetooth® watering controller capable of programming 9V solenoid valves sequentially. Its use is ideal for underground installations: no need to open manholes!

Compatibility	9V 	Power	
Input: 1		Connection	 Bluetooth®
Stations	1/2/4/6	Control	Short range   

Features

Product

SHORT RANGE: 10m

WATERPROOF

MySOLEM

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET

SCAN TO VIEW SPECIFICATIONS












WooBee

9V Controller with a Screen

3-year WARRANTY

The WooBee is a battery-powered, waterproof Bluetooth® watering controller capable of programming 9V solenoid valves sequentially. It also features a large display for easy use. Its water meter input enables you to take action in the event of leaks, over- or under-consumption of water.

Compatibility	9V 	Power	ECO MODE  1x9V or 4xAAA 
Input: 1	 or 	Connection	 Bluetooth®
Stations	1/2/4/6	Control	Short range   

Features

Product

SHORT RANGE: 10m

WATERPROOF

WATER USE & LEAKS

SCREEN & BUTTONS

MySOLEM

ECO MODE p.2

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET

SCAN TO VIEW SPECIFICATIONS











BL-IS

AC Powered Controller

3-year WARRANTY

The BL-IS is an AC-powered Bluetooth® indoor watering controller capable of programming 24VAC solenoid valves sequentially. It is ideal for indoor installations.

Compatibility	24V 	Power	220 V / 240V - 50 Hz 
Input: 1		Connection	 Bluetooth®
Stations	2/4/6/9	Control	Short range 



Features

Product

SHORT RANGE: 10m

INDOOR

MySOLEM

ASYNCHRONOUS MODE


SCAN TO VIEW SPECIFICATIONS



FREE APP



DOWNLOAD THE NEW VERSION & ENJOY YOUR GARDEN!



REMOTE WATERING

CONTROL YOUR IRRIGATION REMOTELY WITH WIFI




AUTOMATIC WATER BUDGET

FREE FEATURE

Automatically set your water budget according to the local weather forecast

Optimize your watering & **save water!**

- Thanks to its geolocation, each of your controllers can connect to the local weather forecast via the internet.
- Define your automatic water budget activation rules (from 0 to 200%) according to rain and drought.
- Available via the MySOLEM platform, this advanced feature checks the activation of your defined rules according to the weather forecast twice daily at 5 AM and 5 PM.





SMART-IS

AC Powered WiFi Indoor Controller

3-year WARRANTY

The SMART-IS is an AC-powered indoor Bluetooth® watering controller that connects directly to WiFi. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it enables you to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow.

Compatibility	24V	Power	220 V / 240V - 50 Hz
Input: 1	or or	Connection	Bluetooth® WiFi
Stations	2/4/6/9/12	Control	Remote

Features

Product

INDOOR

WATER CONSUMPTION MONITORING p.24

VALVE STATUS CONTROL

MySOLEM

AUTO. WATERBUDGET p.13

SCAN TO VIEW SPECIFICATIONS



NEW

VILLA

AC Powered WiFi Outdoor Controller

3-year WARRANTY

The VILLA is an AC-powered indoor Bluetooth® watering controller that connects directly to WiFi. It features a large display and buttons for easy use. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it enables you to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow. The WAGO-type connectors make it easy to install.

Compatibility	24V	Power	220 V / 240V - 50 Hz
Inputs: 2	or or	Connection	Bluetooth® WiFi
Stations	4/6/9/12	Control	Remote

Features

Product

OUTDOOR

SCREEN & BUTTONS

WATER CONSUMPTION MONITORING p.24

VALVE STATUS CONTROL

MySOLEM

AUTO. WATERBUDGET p.13

SCAN TO VIEW SPECIFICATIONS





CONNECTED GARDEN

A modular & scalable product range to control your entire garden



DOWNLOAD OUR FREE APP!




DISCOVER OUR RANGE!



REMOTE WATERING

MANAGE YOUR WATERING SYSTEM FROM ANYWHERE WITH LORA™

Connect your modules using LoRa™ radio technology to create remotely operated installations with reliable and low-energy connectivity. Easily deploy SOLEM controllers in your garden with no extra wiring or power supply required.



1 CONNECTED GATEWAY

LoRa 800m

LoRa 800m

LoRa 800m



2 CONNECTED CONTROLLERS

3 CONNECTED SENSORS

4 POOL & LIGHTING



GATEWAY

LR-MB

WiFi Indoor Gateway

3-year WARRANTY

The LR-MB is an AC-powered indoor gateway that connects through WiFi. It can remotely manage 10 to 30 LoRa™ radio modules, depending on the chosen. Easily transfer your programming and settings to be alerted in real-time and from anywhere!

Range to module	800* _m / 875* _{yds}	Connection	WiFi LoRa Bluetooth®
Modules	10/30	Control	Remote
Power	220 V / 240V - 50 Hz		



Features

INDOOR

EXTENDABLE ANTENNA

SCAN TO VIEW SPECIFICATIONS



* Up to 800m / 875 yds of range. It may vary depending on the installation's configuration



NEW 800m/875 yds*

LR-NR

9V Watering & Misting Tap Timer Controller

3-year WARRANTY

The BL-NR is a battery-operated Bluetooth® and LoRa™ tap timer controller that can be programmed from a smartphone using the MySOLEM app. Water your lawn and vegetables or mist your patio remotely!

Compatibility		Connection	
Station	1	Control	Remote
Power	ECO MODE		

Program your watering from anywhere!



Features

Product

- LONG RANGE
- WATERING
- MISTING

MySOLEM

ECO MODE p.2

SCAN TO VIEW SPECIFICATIONS



* Up to 800m / 875 yds of range. It may vary depending on the installation's configuration



800m/875 yds*

LR-IP

9V Watering Controller

3-year WARRANTY

The LR-IP is a battery-powered, waterproof Bluetooth® and LoRa™ watering controller capable to program 9V solenoid valves sequentially. It is ideal for underground installations: no need to open manholes! It can be remotely controlled from anywhere when paired with WiFi or a 4G gateway. When connected to a water meter, it monitors your water consumption and allows you to receive real-time alerts in the event of under or overflow leaks.

Compatibility	9V	Power	ECO MODE	
Input: 1	or or	Connection	LoRa	Bluetooth
Stations	1/2/4/6	Control	Remote	



800m/875 yds* ECO RANGE

LR-IP-ECO KIT

9V Watering Controller with Built-In Flowmeter

3-year WARRANTY

The LR-IP-ECO KIT is a battery-powered, waterproof Bluetooth® and LoRa™ watering controller that shares the same features as the LR-IP. It features a flowmeter that measures your water consumption, monitors your flow rate and detects the risk of leaks. Finally, the turbine is designed to recharge the module's built-in battery, tripling the life of the 9V battery.

Compatibility	9V	Power	ECO MODE		+
Input: 1	or	Connection	LoRa	Bluetooth	
Stations	1/2/4/6	Control	Remote		



Features

Product

LONG RANGE

WATERPROOF

WATER CONSUMPTION MONITORING p.24

VALVE STATUS CONTROL

MySOLEM


ECO MODE p.2

AUTO. WATERBUDGET p.13

SCAN TO VIEW SPECIFICATIONS



* Up to 800m / 875 yds of range. It may vary depending on the installation's configuration



Features

Product

LONG RANGE

WATERPROOF

WATER CONSUMPTION MONITORING

BUILT-IN FLOWMETER

EXTENDED 9V BATTERY LIFE

MySOLEM

ECO MODE p.2

AUTO. WATERBUDGET p.13

SCAN TO VIEW SPECIFICATIONS





* Up to 800m / 875 yds of range. It may vary depending on the installation's configuration

WATER CONSUMPTION MONITORING

FREE FEATURE

Control your water consumption easily, from anywhere!

-  Connect a water meter to your controllers to monitor your consumption and detect leaks.
-  Automatically stop your pump or master valve using the MySOLEM platform.
-  Set up a threshold based on your needs.
-  Stop leaks and save water.



CLOUD



ON/OFF














800m/875 yds*


LR-IS

AC Powered Controller

3-year WARRANTY

The LR-IS is an AC-powered Bluetooth® and LoRa™ watering controller capable of programming 24VAC solenoid valves sequentially. It is ideal for indoor installations. Paired with WiFi or a 4G gateway, it can be remotely controlled from anywhere.

Compatibility	24V 	Power	220 V / 240V - 50 Hz 
Input: 1	 or  or 	Connection	  Bluetooth®
Stations	2/4/6/9/12	Control	Remote    



Features

Product

- LONG RANGE**
- INDOOR**
- WATER CONSUMPTION MONITORING** p.24

MySOLEM


AUTO. WATERBUDGET p.13


SCAN TO VIEW SPECIFICATIONS



* Up to 800m / 875 yds of range. It may vary depending on the installation's configuration

CONNECTED SENSORS SAVE TIME AND WATER!

 Anticipate the risk of frost or strong winds

 Limit your water consumption according to rainfall

 Optimize your garden watering with precise soil moisture measurement

LR-MS + SENSORS & MySOLEM Platform

Visualize the data history of your sensors and use it to automate your watering.

SENSORS

Water meter

Save water with real-time alerts in case of water leaks, overflow or underflow. Monitor and control your water consumption in real time.

with pulse emitter



Soil moisture

Collect your soil moisture data and optimise the amount of water your green spaces need. Provide the right amount of water at the right time. View your data in real time on the MySOLEM platform.

VH400



Temperature

Automate your watering according to temperature. Compatible only with a 4-input LR-MS.

PT100



Level NEW

Measure the water level in your tank (retention tank, lake, pond, etc.) and automate its filling or your watering.

712 HUBACONTROL




Rainfall

Measure rainfall and avoid unnecessary watering when it rains.

HONDE Rain gauge



 Find all our sensors on solem-irrigation.com



Create your own weather station

with a LR-MS-4 + temperature sensor
+ a rain gauge + an anemometer + a humidity sensor



How to choose your sensor modules?

SCAN TO VIEW THE COMPATIBILITY BETWEEN OUR SENSOR MODULES AND PROBES



VIEW TUTORIAL
HOW TO INSTALL A
SENSOR WITH MYSOLEM





LR-MS

9V Sensor Module

3-year WARRANTY

The LR-MS is a battery-powered, waterproof LoRa™ sensor data acquisition module. It connects to a wide range of sensors, from weather probes (rain, humidity, anemometry and temperature) to water meters, soil moisture probes, pressure sensors, level sensors and more. Paired with a WiFi gateway, access your data from anywhere. On the MySOLEM.com platform, view and retrieve your data, and even automate your watering according to your set thresholds for each sensor. Choose the LR-MS version compatible with the sensors you plan on using.

Compatibility		Connection	
Sensor inputs	1 / 4	Distance to sensor	30 m / 33 yds
Power	ECO MODE	Control	Remote



LR-MS-ECO KIT

9V Sensor Module with a Solar Panel

3-year WARRANTY

The LR-MS-ECO KIT is a battery-powered, waterproof LoRa™ sensor data acquisition module that shares the same features as the LR-MS. It also features a rechargeable battery powered by a photovoltaic panel or mini turbine to extend the life of the 9V battery. Paired with WiFi or a 4G gateway, access your data from anywhere.

Compatibility		Connection	
Sensor inputs	1 / 4	Distance to sensor	30 m / 33 yds
Power	ECO MODE	Control	Remote

Features

Product

- LONG RANGE
- WATERPROOF
- VARIOUS SENSORS
- THRESHOLD ALERTS
- DATA EXPORT

MySOLEM

- ECO MODE p.3
- SUPERVISION p.9

SCAN TO VIEW SPECIFICATIONS



Features

Product

- LONG RANGE
- WATERPROOF
- VARIOUS SENSORS
- THRESHOLD ALERTS
- DATA EXPORT
- RECHARGEABLE BATTERY

MySOLEM

- ECO MODE p.3
- SUPERVISION p.9

SCAN TO VIEW SPECIFICATIONS



EASILY MANAGE YOUR POOL
FROM ANYWHERE!





POOL BOX LT

AC Powered Filtration Controller & Pool Analyser

3-year WARRANTY

The POOL BOX LT is an AC-powered control module connected via LoRa™. When installed in the equipment room, it automatically manages filtration times and monitors your pool water's quality. Paired with a WiFi gateway (LR-MB type) and equipped with high-quality sensors, it monitors in real time treatment parameters (pH, disinfectant, temperature, filtration time) and alerts you in the event of water imbalance.

Compatibility	Filtration pump	Connection	LoRa® Bluetooth®
Inputs	TEMPERATURE pH REDOX	Alerts and recommendations	MOBILE
Power	220 V / 240V - 50 Hz	Control	Remote MOBILE TV GLOBE




POOL SENSE

9V Floating Pool Analyser

3-year WARRANTY

POOL SENSE is a floating, battery-powered analyzer that connects via Bluetooth® and LoRa™ to monitor your pool's water quality, including pH, chlorine levels, and temperature.


Water temperature	TEMPERATURE	Connection	LoRa® Bluetooth®
pH measurement	pH	Alerts and recommendations	MOBILE
Chlorine level	REDOX	Control	Remote MOBILE TV GLOBE



Features

- INDOOR
- LONG RANGE
- WATER QUALITY MONITORING
- FILTRATION
- AUTOMATION

SCAN TO VIEW SPECIFICATIONS



Features

- WATERPROOF
- LONG RANGE
- WATER QUALITY MONITORING

SCAN TO VIEW SPECIFICATIONS



indygo

The Connected Pool

Discover INDYGO's range of modular & scalable solutions for pools on indygo-pool.com.

AUTOMATE YOUR OUTDOOR LIGHTING






LR-OL

AC Powered Lighting & Electrical Controller

3-year WARRANTY

The LR-OL is a battery-powered Bluetooth® and LoRa™ relay module capable of programming up to 4 distinct lighting and garden automation zones: garden lighting, pump, fountain lighting, and more. Combined with a WiFi gateway (type LR-MB), it can be controlled remotely from anywhere.

Compatibility	  	Connection	 
Lines	4	Control	Remote    
Power	220 V / 240V - 50 Hz 		

Simulate your presence in your absence



Save energy!

Create an intelligent lighting program for different zones to avoid leaving lights on unnecessarily.



SCAN TO VIEW SPECIFICATIONS



Quality products & services

SOLEM is committed to provide a secure and efficient service.



APPLICATION & PLATFORM

Free and available 24/7* to manage any SOLEM product remotely.



MODULAR SYSTEM

Ability to handle an unlimited amount of products.



DATA PROTECTION

Our servers are managed by SOLEM exclusively. SOLEM guarantees that your data is secured and will never be shared with third parties.



DATA BACKUP

A backup is generated every 6 hours to limit the risk of data loss.



TECHNICAL SUPPORT

Our experts are at your service to advise you on your irrigation projects.



3-YEAR WARRANTY

All SOLEM products have a 3-year warranty (with the exception of accessories and spare parts).

Useful links



App
MySOLEM



App
MyGARDEN



Platform
MySOLEM.com



Website
solem-irrigation.com



E-learning platform
support.mysolem.com

*About 12 hours of maintenance per year.

LEARN BY YOURSELF VIA OUR E-LEARNING ONLINE PLATFORM!

<https://support.mysolem.com>



Installation
video tutorials



MySOLEM
video tutorials



FAQ



Product
documentation



SCAN
& DISCOVER!



















Request professional access

1. Go to <https://support.mysolem.com/en>
2. Click "Request Access" at the upper right corner.
3. Click "Login with MySOLEM".
4. Login via MySOLEM & fill in the form.
5. Validation of your access within 2 working days.



OUR PRODUCT RANGE



	Internet gateway	Watering	Water meter	Pressure switch	Sensors	Lighting	Pool	Bluetooth®	WiFi	LoRa™	ANTI-THEFT	9V battery	4xAAA batteries	AC power	Inputs/Outputs/ Number of stations
Short-range management, battery or AC powered															
 BL-NR		•						•			•	•			1 station
 WooBee		•	•					•			•	•	•		1-2-4-6 stations
 BL-IP		•						•			•	•			1-2-4-6 stations
 BL-IS		•						•			•			•	2-4-6-9 stations
Remote access using Wi-Fi, AC powered															
 SMART-IS		•	•	•				•	•		•			•	2-4-6-9-12 stations
 VILLA		•	•	•				•	•		•			•	4-6-9-12 stations
Connected garden, remote access, long range, battery or AC powered															
 LR-MB	•							•	•	•	•			•	10 or 30 modules
 LR-NR		•								•	•	•			1 station
 LR-IP		•	•	•				•		•	•	•			1-2-4-6 stations
 LR-IP-ECO KIT		•	•	•				•		•	•	•			1-2-4-6 stations
 LR-IS		•	•	•				•		•	•			•	2-4-6-9-12 stations
 LR-MS4			•	•	•			•		•	•	•			1 temperature-dedicated input + 3 sensors or water meter inputs
 LR-MS4-ECO KIT			•	•	•			•		•	•	•			1 temperature-dedicated input + 3 sensors or water meter inputs
 LR-OL						•		•		•	•			•	4 inputs / outputs
 POOL BOX LT							•	•		•				•	1 input filtration pump
 POOL SENSE							•	•		•			•		-

Lexicon:

BL: Bluetooth®
LR: LoRa™

IP: 9V Battery
IS: AC Power

MB: Mother Board
MS: Sensor Module

OL: Outside Lighting
NR: Misting Tap Timer

PM: Pump Management
PR: Pressure



SOLEM

CONTACT

To find out more about our different product ranges,
please contact us.

support@solem-irrigation.com | + 33 (0)4 67 59 99 73

commercial@solem-irrigation.com | + 33 (0)4 67 59 99 75

SOLEM is also an **expert**
in **connected solutions** for:



MUNICIPALITY



AGRICULTURE

solem-irrigation.com



ISO 9001 certification, version 2015, for the design, industrialization, manufacturing, sale
and customer care of connected electronic products

ZAE La Plaine - 5, rue Georges Besse - 34830 CLAPIERS - FRANCE

