









GARDEN IRRIGATION MADE EASY!

Program and control the watering of your garden remotely with the MySOLEM app.



■ ECO MODE

To discover in 2025

Activate the Eco Mode during the winter season to extend the life of your batteries. You can increase it even more by activating it during the watering season too.



CONTROL YOUR HOME EXTERIOR REMOTELY

MyGARDEN allows you to control your garden irrigation, outdoor pool, and architectural lighting through a free and easy-to-use application. This application is also compatible with MySOLEM.






AN ONLINE MANAGEMENT PLATFORM MADE BY IRRIGATION PROFESSIONALS FOR IRRIGATION PROFESSIONALS

To access additional features (not available on the apps) such as bulk orders, site management, site cartography (CANOPY), and user management (Pro account), access our online platform at MySOLEM.com from a computer. All your programs and products are automatically synchronized on real time on the online platform and the apps.









SHORT RANGE WATERING Bluetooth

9V Irrigation & Misting Tap Timer Controller

08 **BL-IP** 9V Controller

09 WOOBEE 9V Controller with Screen

BL-IS AC Powered Controller

REMOTE WATERING WIFI

SMART-IS AC Powered Indoor Controller

15 **VILLA** AC Powered Outdoor Controller with a Screen NEW

CONNECTED GARDEN LogRa

(P) PASSERELLE

19 LR-MB WiFi Indoor Gateway

WATERING

Controllers

21 LR-NR 9V Irrigation & Misting Tap Timer Controller NEW

2 LR-IP 9V Controller

23 LR-IP-ECO KIT 9V Controller with Built-In Flowmeter (a eco range)

LR-IS AC Powered Controller

Connected sensors

27 **Sensors** Individual Sensors or in Kit

28 **LR-MS** 9V Sensor Module

29 LR-MS-ECO KIT 9V Sensor Module with a Solar Panel © ECO RANGE


U POOL

POOL BOX LT Filtration Controller & Pool Analyser

POOL SENSE 9V Floating Pool Analyser

LIGHTING & AUTOMATION

35 LR-OL AC Powered Automation Controller







The BL-NR is a battery-operated Bluetooth® tap timer controller that can be programmed from a smartphone using the MySOLEM app. A smart and simple solution for watering and/or misting your lawn or garden!

Compatibility	*	Connection	Bluetooth °
Station	1	Control	Short range
Power	+ - 9V		

Our most user-friendly controller!

It only takes a few minutes to install.

Screw the controller onto your garden tap.

Add a dripline or oscillating sprinkler.

Insert a battery and pair the BL-NR to Bluetooth®.

Start setting up your programs!











The BL-IP is a battery-powered, waterproof Bluetooth® watering controller capable of programming 9V solenoid valves sequentially. Its use is ideal for underground installations: no need to open manholes!

Stations	1/2/4/6	Control	Short range
Input: 1		Connection	Bluetooth*
Compatibility	DCL 9V Range and solenoid: 100 ft	Power	97

DCL 9V Range and solenoid: 100 ft ECO MODE 🗓 Compatibility Power or I **Bluetooth** Input: 1 Connection

Control

The WooBee is a battery-powered, waterproof Bluetooth® watering controller capable of programming 9V solenoid valves sequentially. It also features a large display for easy use. Its water meter input enables you to take action in the event of

Features

Product

SHORT RANGE: 30ft



MySOLEM

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET



Features

1/2/4/6

Product

leaks, over- or under-consumption of water.

SHORT RANGE: 30ft

WATERPROOF

WATER USE & LEAKS

SCREEN & BUTTONS

MySOLEM

ECO MODE p.2

ASYNCHRONOUS MODE

MONTHLY WATER BUDGET



Short range





Stations



AC Powered Controller



The BL-IS is an AC-powered Bluetooth® indoor watering controller capable of programming 24VAC solenoid valves sequentially. It is ideal for indoor installations.

Compatibility	24V	Power	120 V - 60 Hz 🗡
Input: 1		Connection	Bluetooth °
Stations	2/4/6/9	Control	Short range



Features

Product

MySOLEM

SHORT RANGE: 30ft

ASYNCHRONOUS MODE

INDOOR





M y S O L E M

FREE APP
















CONTROL YOUR IRRIGATION REMOTELY WITH WIFI




Automatically set your water budget according to the local weather forecast

Optimize your watering

& save water!

- Thanks to its geolocation, each of your controllers can connect to the local weather forecast via the internet.
- Define your automatic water budget activation rules (from 0 to 200%) according to rain and drought.
- Available via the MySOLEM platform, this advanced feature checks the activation of your defined rules according to the weather forecast twice daily at 5 AM and 5 PM.





The SMART-IS is an AC-powered indoor Bluetooth® watering controller that connects directly to WiFi. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it enables you to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow.

Stations	2/4/6/9/12	Control	Remote DD 🕀
Input: 1	or or	Connection	Bluetooth ° WiFi
Compatibility	24V	Power	120 V - 60 Hz




The VILLA is an AC-powered indoor Bluetooth® watering controller that connects directly to WiFi. It features a large

display and buttons for easy use. It can program 24VAC solenoid valves sequentially. Connected to a water meter, it

enables you to monitor your water consumption and receive real-time alerts in the event of leaks, underflow or overflow.





Features Product

The WAGO-type connectors make it easy to install.

MySOLEM

AUTO. WATERBUDGET p.13

SCREEN & BUTTONS

WATER CONSUMPTION MONITORING p.24

VALVE STATUS CONTROL









DOWN! OAD OUR FREE ARRI

DOWNLOAD OUR FREE APP!

MyGARDEN









CONNECTED GARDEN

A modular & scalable product range to control your entire garden




DISCOVER OUR RANGE!



REMOTE WATERING

MANAGE YOUR WATERING SYSTEM FROM ANYWHERE WITH LORATM

Connect your modules using LoRaTM radio technology to create remotely operated installations with reliable and low-energy connectivity. Easily deploy SOLEM controllers in your garden with no extra wiring or power supply required.







The LR-MB is an AC-powered indoor gateway that connects through WiFi. It can remotely manage 10 to 30 LoRaTM radio modules, depending on the chosen. Easily transfer your programming and settings to be alerted in real-time and from anywhere!

Range to module	0.5 * miles radius	Connection	WiFi LoRa Bluetooth
Modules	10/30	Control	Remote
Power	120 V - 60 Hz		




INDOOR

EXTENDABLE ANTENNA



^{*} Range up to 0.5 miles radius or 1 mile total. It may vary depending on the installation's configuration.







NEW 0.5 MILES*

9V Watering & Misting Tap Timer Controller

The BL-NR is a battery-operated Bluetooth® and LoRaTM tap timer controller that can be programmed from a smartphone using the MySOLEM app. Water your lawn and vegetables or mist your patio remotely!

Compatibility		<u>چ</u> ے	Connection	Lora 🚯 Bluetooth
Station		1	Control	Remote
Power	ECO MODE [2	+ - 9V		

Program your watering **from anywhere!**



Features

Product

MySOLEM

LONG RANGE

ECO MODE p.2

WATERING

MISTING



^{*} Range up to 0.5 miles. It may vary depending on the installation's configuration.






3-year WARRANTY

The LR-IP is a battery-powered, waterproof Bluetooth® and LoRaTM watering controller capable to program 9V solenoid valves sequentially. It is ideal for underground installations: no need to open manholes! It can be remotely controlled from anywhere when paired with WiFi or a 4G gateway. When connected to a water meter, it monitors your water consumption and allows you to receive real-time alerts in the event of under or overflow leaks.

Stations	1/2/4/6	Control	Remote
Input: 1	or or ©	Connection	LogRa 😮 Bluetooth
Compatibility	DCL9V	Power	ECO MODE 19V





LR-IP-ECO KIT

9V Irrigation Controller with Built-In Flowmeter

The LR-IP-ECO KIT is a battery-powered, waterproof Bluetooth® and LoRaTM watering controller that shares the same features as the LR-IP. It features a flowmeter that measures your water consumption, monitors your flow rate and detects the risk of leaks. Finally, the turbine is designed to recharge the module's built-in battery, tripling the life of the 9V battery.

0.5 MILES* © ECO RANGE

Stations	1/2/4/6	Control	Remote DD D
Input: 1	or Q	Connection	Lora 😝 Bluetooth
Compatibility	DCL9V	Power	ECO MODE + P

MySOLEM

ECO MODE p.2

AUTO. WATERBUDGET p.13



SOLEM

Features

Product

LONG RANGE

WATERPROOF

WATER CONSUMPTION MONITORING

BUILT-IN FLOWMETER

EXTENDED 9V BATTERY LIFE



CONTROLLERS



st Range up to 0.5 miles. It may vary depending on the installation's configuration.





^{*} Range up to 0.5 miles. It may vary depending on the installation's configuration.

Control your water consumption easily, from anywhere!



Automatically stop your pump or master valve using the MySOLEM platform.












The LR-IS is an AC-powered Bluetooth® and LoRa™ watering controller capable of programming 24VAC solenoid valves sequentially. It is ideal for indoor installations. Paired with WiFi or a 4G gateway, it can be remotely controlled from anywhere.

Stations	2/4/6/9/12	Control	Remote
Input: 1	or or or	Connection	Lora 🚯 Bluetooth
Compatibility	24V 6000	Power	120 V - 60 Hz



^{*} Range up to 0.5 miles. It may vary depending on the installation's configuration.



CONNECTED SENSORS SAVE TIME AND WATER! Anticipate the risk of frost or strong winds **Limit your water consumption** according to rainfall Optimize your garden watering with precise soil moisture measurement

LR-MS + SENSORS & MySOLEM Platform

Visualize the data history of your sensors and use it to automate your watering.





Save water with real-time alerts in case of water leaks, overflow or underflow. Monitor and control your water consumption in real time.

with pulse emitter



Temperature

Automate your watering according to temperature. Compatible only with a 4-input LR-MS.

PT10



Rainfall

Measure rainfall and avoid unnecessary watering when it rains.

HONDE Rain gauge



△ Soil

Soil moisture

Collect your soil moisture data and optimise the amount of water your green spaces need. Provide the right amount of water at the right time. View your data in real time on the MySOLEM platform.

/H400





Measure the water level in your tank (retention tank, lake, pond, etc.) and automate its filling or your watering.

712 HUBACONTROL



Find all our sensors

on solem-irrigation.com



① Create your own weather station

with a LR-MS-4 + temperature sensor + a rain gauge + an anemometer + a humidity sensor



How to choose your sensor modules?

SCAN TO VIEW THE COMPATIBILITY BETWEEN OUR SENSOR MODULES AND PROBES










The LR-MS is a battery-powered, waterproof LoRaTM sensor data acquisition module. It connects to a wide range of sensors, from weather probes (rain, humidity, anemometry and temperature) to water meters, soil moisture probes, pressure sensors, level sensors and more. Paired with a WiFi gateway, access your data from anywhere. On the MySOLEM.com platform, view and retrieve your data, and even automate your watering according to your set thresholds for each sensor. Choose the LR-MS version compatible with the sensors you plan on using.

Compatibility	∌ ()	Connection	Lora 🚷 Bluetooth
Sensor inputs	1/4	Distance to sensor	100 fts
Power	ECO MODE (9)	Control	Remote







9V Sensor Module with a Solar Panel

The LR-MS-ECO KIT is a battery-powered, waterproof LoRa™ sensor data acquisition module that shares the same features as the LR-MS. It also features a rechargeable battery powered by a photovoltaic panel or mini turbine to extend the life of the 9V battery. Paired with WiFi or a 4G gateway, access your data from anywhere.

Compatibility	♣ ♦ ♠	Connection	Lora (8) Bluetooth
Sensor inputs	1/4	Distance to sensor	100 fts
Power	ECO MODE 1	Control	Remote DDD



SCAN TO VIEW

Features

Product

LONG RANGE

WATERPROOF

VARIOUS SENSORS

THRESHOLD ALERTS

DATA EXPORT

RECHARGEABLE BATTERY

MySOLEM

ECO MODE p.3

SUPERVISION p.9


SCAN TO VIEW SPECIFICATIONS

SENSORS












The POOL BOX LT is an AC-powered control module connected via LoRa™. When installed in the equipment room, it automatically manages filtration times and monitors your pool water's quality. Paired with a WiFi gateway (LR-MB type) and equipped with high-quality sensors, it monitors in real time treatment parameters (pH, disinfectant, temperature, filtration time) and alerts you in the event of water imbalance.

Compatibility	Filtration pump	Connection Lora Bluetooth
Inputs	REDOX	Alerts and recommendations
Power	120 V - 60 Hz	Control Remote



SOLEM






9V Floating Pool Analyser

POOL SENSE is a floating, battery-powered analyzer that connects via Bluetooth® and LoRa™ to monitor your pool's water quality, including pH, chlorine levels, and temperature.

Water temperature		Connection	Lora Bluetooth
pH measurement	(pH)	Alerts and recommen	dations
Chlorine level	REDOX	Control	Remote






of modular & scalable solutions for pools on indygo-pool.com.









ar NTY

AC Powered Lighting & Electrical Controller

Simulate your presence

The LR-OL is a battery-powered Bluetooth® and LoRa™ relay module capable of programming up to 4 distinct lighting and garden automation zones: garden lighting, pump, fountain lighting, and more. Combined with a WiFi gateway (type LR-MB), it can be controlled remotely from anywhere.

Compatibility	\text{\text{\$\frac{1}{2}}} \text{\$\frac{1}{2}}	Connection	Lora (8) Bluetooth
Lines	4	Control	Remote
Power	120 V - 60 Hz		



Save energy!

Create an intelligent lighting program for different zones to avoid leaving lights on unnecessarily.







Quality products & services

SOLEM is committed to provide a secure and efficient service.



APPLICATION & PLATFORM

Free and available 24/7* to manage any SOLEM product remotely.



MODULAR SYSTEM

Ability to handle an unlimited amount of products.



DATA PROTECTION

Our servers are managed by SOLEM exclusively. SOLEM guarantees that your data is secured and will never be shared with third parties.



DATA BACKUP

A backup is generated every 6 hours to limit the risk of data loss.



TECHNICAL SUPPORT

Our experts are at your service to advise you on your irrigation projects.



3-YEAR WARRANTY

All SOLEM products have a 3-year warranty (with the exception of accessories and spare parts).

Useful links



MySOLEM









Platform MySOLEM.com



Website solem-irrigation.com



E-learning platform support.mysolem.com

*About 12 hours of maintenance per year





LEARN BY YOURSELF VIA OUR **E-LEARNING ONLINE PLATFORM!**

https://support.mysolem.com



Installation video tutorials



MySOLEM video tutorials



FAQ



Product documentation



& DISCOVER!

Request professional access

- 1. Go to https://support.mysolem.com/en
- 2. Click "Request Access" at the upper right corner.
- 3. Click "Login with MySOLEM".
- 4. Login via MySOLEM & fill in the form.
- 5. Validation of your access within 2 working days.



OUR PRODUCT RANGE

	Š	1		9	∅ ಕೆ	Ÿ	筤	**	<u>WiFi</u>	LoRa	ANTI-THEFT	-		Ϋ́	
		Application						Communication				Power			
	Internet gateway	Watering	Water meter	Pressure switch	Sensors	Lighting	Pool	Bluetooth®	WiFi	LoRa™	ANTI-THEFT	9V battery	4xAAA batteries	AC power	Inputs/Outputs/ Number of stations
Short-range manageme	ent, batte	ery or A	AC pow	ered											
BL-NR		•						•			•	•			1 station
WooBee		•	•					•			•	•	•		1-2-4-6 stations
BL-IP		•						•			•	•			1-2-4-6 stations
BL-IS		•						•			•			•	2-4-6-9 stations
Remote access using V	Vi-Fi, AC	powere	ed												
SMART-IS		•	•	•				•	•		•			•	2-4-6-9-12 stations
VILLA		•	•	•				•	•		•			•	4-6-9-12 stations
Connected garden, rei	mote acc	ess, lor	ng range	e, batte	y or AC	C power	ed								
LR-MB	•							•	•	•	•			•	10 or 30 modules
LR-NR		•								•	•	•			1 station
LR-IP		•	•	•				•		•	•	•			1-2-4-6 stations
LR-IP-ECO KIT		•	•	•				•		•	•	•			1-2-4-6 stations
LR-IS		•	•	•				•		•	•			•	2-4-6-9-12 stations
LR-MS4			•	•	•			•		•	•	•			1 temperature-dedicated input + 3 sensors or water meter inputs
LR-MS4-ECO KIT			•	•	•			•		•	•	•			1 temperature-dedicated input + 3 sensors or water meter inputs
LR-OL						•		•		•	•			•	4 inputs / outputs
POOL BOX LT							•	•		•				•	1 input filtration pump

Lexicon:

BL: Bluetooth® **LR**: LoRa™

IP: 9V Battery IS: AC Power MB: Mother Board MS: Sensor Module **OL**: Outside Lighting **NR**: Misting Tap Timer

PM: Pump Management

PR: Pressure





CONTACT

SALES AND SUPPORT

WEST COAST | +1 (323) 470 4551

EAST COAST | +1 (951) 515 1246

CENTRAL AND MOUNTAIN | +1 (951) 858 1546

SOLEM is also an **expert** in **connected solutions** for



MUNICIPALITY

solem-irrigation.com











