



# SOLEM

CONNECTED IRRIGATION MADE EASY

RESIDENTIAL WATERING

[solem-irrigation.com](https://solem-irrigation.com)

No. 09



**LR-NR** NEW

**Connected tap timer  
now available  
in LoRa™**

REMOTE MANAGEMENT



**Watering or misting  
wherever you are.**

➔ Discover the product on p.29





NEW GENERATION

**+ Simplicity**  
**+ Battery Life**  
for Greater  
**Performance**





Access to  
your installations  
from wherever you are



Geolocate  
your installations



Easily schedule  
& automate watering



Switch instantly from  
watering mode to misting mode



Optimise water consumption  
on your sites

 SOLEM

Easy & connected  
residential watering

to meet your customers' needs.



“A simple and intuitive interface”

NEW



#### Easy installation

Install your product in a few minutes using close-range set-up: just move the phone nearby, and it's connected.



#### Eco Mode

Maximize the life of the 9V battery by switching on Eco Mode in winter and during the watering season.



# Expert platform for landscapers



Access to your customers' gardens



Remotely manage your gardens geographically




Receive real-time notifications



Monitor the status of your equipment

PLATFORM



# SUMMARY

**Bluetooth RANGE**

15	<b>BL-NR</b>	9V Watering or Misting Tap Timer	<b>NEW</b>
16	<b>BL-IP</b>	9V Controller	<b>NEW</b>
17	<b>WOOBEE</b>	9V Controller with Screen	<b>NEW</b>
18	<b>BL-IS</b>	AC Powered Controller	

**WiFi RANGE**

22	<b>SMART-IS</b>	AC Powered Indoor Controller
23	<b>VILLA</b>	AC Powered Outdoor Controller with a Screen

**LoRa RANGE**

	<b>GATEWAY</b>		
27	<b>LR-MB</b>	Indoor WiFi Gateway	
	<b>WATERING</b>		
	Controllers		
29	<b>LR-NR</b>	9V Watering or Misting Tap Timer	<b>NEW</b>
30	<b>LR-IP</b>	9V Controller	<b>NEW</b>
31	<b>LR-IP-ECO</b> 	9V, with Built-In Flow Meter or Solar Panel	
33	<b>LR-IS</b>	AC-Powered	
	Connected sensors		
35	<b>Sensors</b>	Individual or in a Kit	
36	<b>LR-MS</b>	9V Sensor Module	<b>NEW</b>
37	<b>LR-MS-ECO</b> 	9V Sensor Module with Built-In Flow Meter or Solar Panel	
38	<b>LR-PR</b>	9V, Pressure Sensor Module	
	<b>LIGHTING &amp; AUTOMATION</b>		
43	<b>LR-OL</b>	AC-Powered Controller	
	<b>POOL</b>		
44	<b>POOL BOX</b>	Filtration Controller & Pool Analyser	<b>NEW</b>
45	<b>POOL SENSE</b>	9V Floating Pool Analyser	

BLUETOOTH® RANGE

# Easy & Connected Short-Range Watering



CONTROLLERS

NEW

## BL-NR



### Tap Timer

Bluetooth® - Watering or Misting

The BL-NR is a battery-operated tap timer controller that works over Bluetooth® able to be operated from a smartphone using the MySOLEM app. It offers a smart and simple solution for watering your lawn, vegetable garden or misting your patio. It is sturdy thanks to its brass ring, and the life of the battery is extended. Quick to install: a few minutes to screw in the controller, connect the sprinkler, insert the battery, connect via Bluetooth® and enter the schedule from your smartphone.

Compatibility



Connection



Station

1

Control

On site (within 10m)\*

Power supply



### Watering / misting reliable & sturdy

Quick & easy to install

Sturdy

Watering / Misting Mode

Asynchronous Mode

Eco Mode p.9

DOCUMENTS



\*10m range. Range varies depending on the installation configuration.

3-YEAR WARRANTY

SOLEM 15

UP TO A  
**5-year**  
BATTERY LIFE

**NEW**  
**WooBee**




**Watering Controller**  
Bluetooth®, 9V with Large Screen

The WooBee is a waterproof, battery-operated, Bluetooth® watering controller, able to sequentially schedule 9V solenoid valves. It comes with a large screen for ease of use. Its water meter input enables you to take action in the event of leaks, or over-delivery or under-delivery of water. Water consumption graphs reported via the app.

Compatibility		Connection	<b>Bluetooth®</b>
Stations	<b>1/2/4/6</b>	Control	<b>On site (within 10m)*</b>
Input: 1	or	Power supply	1x9V or 4xAAA

**Simplicity,**  
with or without the app

- Monthly Waterbudget
- Asynchronous Mode
- Eco Mode p.9
- Easy to use
- Waterproof
- Control over water consumption
- Leak detection



\*10m range. Range varies depending on the installation configuration.

UP TO A  
**5-year**  
BATTERY LIFE

**NEW**  
**BL-IP**



**Watering Controller**  
Bluetooth®, 9V

The BL-IP is a waterproof, battery-operated, Bluetooth® watering controller, able to sequentially schedule 9V solenoid valves. It is ideal for use with underoil installations, as it eliminates the need to open manholes! Its water meter input enables you to take action in the event of leaks, or over-delivery or under-delivery of water. Water consumption graphs reported via the app. The rainfall sensor is used to halt watering if it rains.

Compatibility		Connection	<b>Bluetooth®</b>
Stations	<b>1/2/4/6</b>	Control	<b>On site (within 10m)*</b>
Input: 1	or	Power supply	

**The best 9V controller**  
of its generation

- Monthly Waterbudget
- Asynchronous Mode
- Eco Mode p.9
- Easy installation
- Sturdy & waterproof
- Control over water consumption
- Leak detection



\*10m range. Range varies depending on the installation configuration.



# BL-IS


## Watering Controller Bluetooth®, AC-Powered

The BL-IS is an AC-powered, indoor, Bluetooth® watering controller able to sequentially schedule 24V solenoid valves. It is ideal for installations located in equipment rooms. Pair your BL-IS with a rainfall sensor to automate the halting of watering depending on the weather.

Compatibility		Connection	
Stations	<b>2/4/6/9</b>	Control	<b>On site (within 10m)*</b> 
Input: 1		Power supply	120V - 240V / 50 - 60Hz 

### Ease of use for mains-powered installations

- Easy to use 
- Compatible with existing installations 
- Rain detection 



Asynchronous mode

DOCUMENTS



WI-FI RANGE

# Plug & Play Wifi Irrigation



# SMART-IS

## Indoor Irrigation Controller

Wi-Fi, AC-Powered

The SMART-IS is an AC-powered, indoor, Bluetooth® watering controller that connects directly to a Wi-Fi router. It is able to sequentially control 24V solenoid valves. Paired to a water meter, it monitors your water consumption and sends notifications in the event of leaks or under- or over-delivery.

Compatibility		Connection	  Bluetooth®
Stations	<b>2/4/6/9/12</b>	Control	<b>Remote</b>   
Input: 1	 or  or 	Power supply	120V - 240V / 50 - 60Hz 

## Watering simplicity, built-in Wi-Fi

-  Weather-based
-  Control over water consumption
-  Pressure detection



DOCUMENTS



# VILLA

## Outdoor Irrigation Controller

Wi-Fi, AC-Powered

The VILLA is an AC-powered, Bluetooth® watering controller, compatible with a Wi-Fi router. It has a large screen, intuitive buttons, and a protective cover against inclement weather. It is used to sequentially schedule 24V solenoid valves. Lever terminal blocks make it easy to install. Paired to a water meter, it monitors your water consumption and sends notifications in the event of leaks or under- or over-delivery.

Compatibility		Connection	  Bluetooth®
Stations	<b>4/6/9/12</b>	Control	<b>Remote</b>   
Input: 2	 or  or 	Power supply	120V - 240V / 50 - 60Hz 

## Indoor / Outdoor installation, built-in Wi-Fi

-  Easy to use
-  Protective cover
-  Easy to install & maintain
-  Weather-based
-  Control over water consumption
-  Pressure detection



DOCUMENTS



LORA™ RANGE

# SOLEM LoRa™ Irrigation

Premium, Long Range, Long Life, Remotely



LORA™ RANGE

INSTALLATION IN 3 EASY STEPS

1



## DOWNLOAD THE APP

Pair your modules easily, and prepare your installation.



2



## CONNECT YOUR GATEWAY

Plug it in and simply link it to your Wifi network.

3



## PAIR YOUR EQUIPMENT

Connect your watering modules, sensors, pool and lighting to your gateway in an instant.

# A SINGLE GATEWAY FOR YOUR CONNECTED GARDEN



CONNECTED GATEWAY



CONNECTED CONTROLLERS



POOL & LIGHTING



CONNECTED SENSORS



## LR-MB



### Indoor Gateway Wi-Fi, Watering, Pool & Lighting

The LR-MB is an AC-powered indoor gateway that connects directly to a Wi-Fi router. Depending on the version, it can remotely manage from 10 to 30 modules over LoRa™ radio. Send your schedules and settings easily, and receive notifications promptly, wherever you are.

Module distance	<b>800m*</b>	Connection	LoRa® Bluetooth® WiFi
Modules	<b>10/30</b>	Control	Remote*   
		Power supply	120V - 240V / 50 - 60Hz 



### Reliable, free connection using an existing Wi-Fi network

-  Quick & easy to install
-  Remote control
-  Reliable connection
-  Extendable antenna



\* Range up to 800m. Range varies depending on the installation configuration.

UP TO A  
**5-year**  
BATTERY LIFE

CONTROLLERS

NEW

# LR-NR



## Tap Timer LoRa™, Watering or Misting

Take a look at our tap timer controller, the LR-NR, now available for LoRa™. Connect your module to a SOLEM gateway and schedule your watering from wherever you are. Save time if you don't have access to the installation location.

Compatibility



Connection



Station


1

Control

Remote



Power supply



→ Brass ring

+ Sturdy



## Remotely controllable tap timer

Quick & easy to install

Sturdy

Remote control

Watering / misting mode

Eco Mode

DOCUMENTS



3-YEAR WARRANTY

SOLEM 29

UP TO A  
**5-year**  
BATTERY LIFE

**NEW**  
**LR-IP**


**Irrigation Controller**  
LoRa™, 9V



The LR-IP is a waterproof, battery-operated Bluetooth® and LoRa™ watering controller, able to sequentially schedule 9V solenoid valves. It is ideal for use with undersoil installations, as it eliminates the need to open manholes! Paired with a Wi-Fi or 4G gateway, it can be operated remotely from wherever you are. Linked to a water meter, it will monitor your water consumption, and send real-time notifications in the event of leaks or under- or over-delivery.

Compatibility		Connection	
Stations	<b>1/2/4/6</b>	Control	<b>Remote*</b>
Input: 1	or  or	Power supply	

**Ideal for irrigating large areas**



- Quick & easy to install
- Sturdy & waterproof
- Weather-based
- Control over water consumption

Auto. waterbudget

Eco Mode


DOCUMENTS



\* Range up to 800m. Range varies depending on the installation configuration.

**LR-IP-ECO**


**Irrigation Controller**  
LoRa™, 9V - Turbine or Solar Panel Option



The LR-IP-ECO is a waterproof, battery-operated Bluetooth® and LoRa™ watering controller, sharing the same features as the LR-IP. It has a built-in flow meter that measures your water consumption, checks your flow, and identifies leak risks (if the turbine option is chosen). The turbine or solar panel recharge the module's built-in battery to extend the lifespan of the 9V battery.

Compatibility		Connection	
Station	<b>1/2/4/6</b>	Control	<b>Remote*</b>
Input: 1	or  or	Power supply	or

**Increases its battery life by using renewable energy**



- Internal rechargeable battery
- Compact solution
- Flexible installation
- Weather-based
- Control over water consumption

Auto. waterbudget

Eco Mode

DOCUMENTS



\* Range up to 800m. Range varies depending on the installation configuration.

# LR-IS



## Irrigation Controller LoRa™, AC-Powered

The LR-IS is an AC-powered Bluetooth® and LoRa™ watering controller able to sequentially schedule 24V solenoid valves. It is ideal for installations located in equipment rooms. Paired with a Wi-Fi or 4G gateway, it can be operated remotely from wherever you are.

Compatibility		Connection	  Bluetooth®
Stations	<b>2/4/6/9/12</b>	Control	<b>Remote</b>  
Input: 2	 or  or 	Power supply	120V - 240V / 50 - 60Hz 



## Ideal for mains-powered installations

-  Weather-based 5
-  Control over water consumption
-  Check the valve's status



# Save time, save water.

Easy watering automation  
via MySOLEM based on sensor data.



Track & control **water consumption**  
in real time.



Accurately measure **soil moisture** to deliver  
the right amount of water at the right time.



Automate watering according to **the temperature**.  
*Compatible only with a 4-input LR-MS.*



Limit your water consumption  
according to **rainfall**.



Measure your **water storage level**  
& automate filling operations or your watering.



## ➔ Create your own weather station

LR-MS-4 + a temperature sensor + a rain gauge  
+ an anemometer + a hygrometer

SENSORS

UP TO A  
**5-year**  
BATTERY LIFE

NEW

# LR-MS

## Sensor Module

LoRa™, 9V

The LR-MS is a waterproof, battery-operated, sensor data acquisition module. This module can connect to many types of sensor, including weather sensors (rain, air humidity, wind speed and temperature), water meters, soil moisture sensors, soil tensiometers, various level detectors, and more. Paired with a Wi-Fi or 4G gateway, you can access your data from wherever you are. You can view and extract your data from the MySOLEM.com platform, and automate your watering based on thresholds that you set for each sensor.

Compatibility		Connection	
Sensor inputs	<b>1/4</b>	Control	<b>Remote</b>
Sensor distance	<b>30m</b>	Power supply	

## Switch to precision watering



Sturdy & waterproof

Various sensors

Configurable notification thresholds and actions

Data extraction options

Auto. Waterbudget

Eco Mode

DOCUMENTS




SENSORS

# LR-MS-ECO

## Sensor Module

LoRa™, 9V - Solar Panel or Turbine Option



The LR-MS-ECO is a waterproof, battery-operated, LoRa™ sensor data acquisition module, sharing the same features as the LR-MS. Configure notification thresholds and associated automated actions for controllers. It also incorporates a rechargeable battery powered by either a solar panel or a turbine installed on the water network to extend the life of the 9V battery. Paired with a Wi-Fi or 4G gateway, you can access your data from wherever you are.

Compatibility		Connection	
Sensor inputs	<b>1/4</b>	Control	<b>Remote</b>
Sensor distance	<b>30m</b>	Power supply	

## Increase its battery life by using renewable energy



Rechargeable battery

Flexible installation

Various sensors

Configurable notification thresholds and actions

Data extraction options

Auto. Waterbudget

Eco Mode

DOCUMENTS



# LR-PR

## Connected Pressure Sensor



The LR-PR is a unit comprising a waterproof, Bluetooth®/LoRa™ data acquisition module equipped with its own pressure sensor. This pressure gauge kit uploads pressure measurements **between 0 and 16 bar** to the MySOLEM platform or app, allowing you to monitor the pressure of your installation. Once you have set the trigger thresholds, the MySOLEM platform will notify you when they are breached, enabling you to protect your equipment.

Compatibility	Pressure sensor	Connection	
Input	1	Control	Remote*
		Power supply	

# Pressure Switch

## Pressure Detector



The pressostat is the ideal product to ensure that your solenoid valves are operating correctly according to your controllers' settings. Ensure that your solenoid valves have been activated correctly and, if a fault occurs, receive a notification on your mobile phone or by e-mail. It also helps save time analysing technical issues affecting the water system.

Compatibility	Connexion
<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> VILLA</li> <li><input checked="" type="checkbox"/> SMART-IS</li> <li><input checked="" type="checkbox"/> LR-IP</li> <li><input checked="" type="checkbox"/> LR-IP-ECO</li> <li><input checked="" type="checkbox"/> LR-MS</li> <li><input checked="" type="checkbox"/> LR-MS-ECO</li> <li><input checked="" type="checkbox"/> LR-IS</li> </ul>	Wired

## Keeping your water system secure




- Pressure control
- Configurable notification thresholds
- Data extraction options

- Supervision p.9
- Eco Mode p.9



## Check that valves are operating correctly



- Check the valve's status
- Notifications in the event of issues





Access to your garden from wherever you are



Easily schedule & automate watering



Be there, even when you're not



Create ambience in your garden



No more test strips, test your water continuously




MyGARDEN

# Connected Garden

The ideal range to control your garden easily, from a single app.

# A single app for the entire garden.




## LR-OL



### Lighting Controller LoRa™, AC-Powered

The LR-OL is an AC-powered Bluetooth® and LoRa™ relay module able to schedule up to four separate outdoor lighting and automation areas, such as garden lighting, pumps, a fountain and others. Paired to a Wi-Fi gateway (such as LR-MB), it can be operated remotely from wherever you are.

Compatibility		Connection	
Lines	<b>4</b>	Control	
		Power supply	120V - 240V / 50 - 60Hz



### Automate up to 4 independent areas

- Energy savings
- Multipurpose device
- Garden ambience builder

DOCUMENTS



POOL



# POOL BOX

## Filtration Controller & Pool Analyser


AC-Powered

The POOL BOX LT is an AC-powered, LoRa™ smart control module that, once installed in the equipment room, automatically manages filtration times and monitors the quality of your pool water. Equipped with high-quality sensors, it monitors the pool's water quality (pH, disinfectant, temperature, filtration time) in real time and when paired to a communications gateway (e.g. LR-MB) it will notify you if the water becomes imbalanced.

Water testing	REDOX	Connection	
Notifications and warnings		Control	Remote
Control		Power supply	120V - 240V / 50 - 60Hz

## The 2-in-1 pool product

- Checks water quality
- Smart filtration management
- Automatic frost protection



POOL

NEW



# POOL SENSE


## Floating Pool Analyser

The POOL SENSE is a battery-operated, Bluetooth® and LoRa™, floating water tester that monitors the quality of your pool water (pH, chlorine, temperature). It notifies you if issues arise, so you can use your pool with complete peace of mind. Pair it to a Wi-Fi gateway to access your data.

Water testing	REDOX	Connection	
Notifications and warnings		Control	Remote
		Power supply	

## Install, place it in the water, and you're all set!

- Water testing
- Measurement logs
- Disinfectant measurement



# Compatible with SOLEM Watering Range



**LR-MB**  
Gateway  
Wi-Fi, AC-Powered

p.27

p.33

**LR-IS**  
Controller  
LoRa™, AC-Powered



p.30

**LR-IP**  
Controller  
LoRa™, 9V



p.22

**SMART IS**  
Controller  
Wi-Fi, AC-Powered



p.36

**LR-MS**  
Sensor Module  
LoRa™, 9V



p.38

**LR-PR**  
Pressure Sensor  
LoRa™, 9V



**LR-NR**  
Controller  
LoRa™, Tap Timer

p.29



**LR-IP-ECO**  
Controller  
LoRa™, 9V

p.31



**VILLA**  
Controller  
Wi-Fi, AC-Powered

p.23



**LR-MS-ECO**  
Sensor Module  
LoRa™, 9V

p.37

## High-quality products & services

SOLEM is committed to providing secure and effective services.



### Application & platform

Free of charge, available 24/7\* for remote management of all SOLEM products.



### Scalable system

Capacity to support an unlimited number of products.



### Data protection

Our servers are hosted in France and managed by SOLEM.



### Data backup

Backups every 6 hours to limit the risk of data loss.



### Technical support

Our experts are ready to listen to your needs and advise you about your watering plans.



### 3-year warranty

All SOLEM products (excluding accessories and spare parts) are guaranteed for 3 years.

## Useful links



MySOLEM  
App



MyGARDEN  
App



MySOLEM.com  
Platform



solem-irrigation.com  
Website



@SOLEMIrrigation  
YouTube channel

\*Approx. 12 hours of maintenance per year.

COMING IN 2026...



 @SOLEMIrrigation

## YouTube channel




Installation  
tutorials



MySOLEM  
tutorials



User  
testimonials



# ALL OUR PRODUCTS



	Application								Communication					Power supply			Inputs / Outputs / Number of stations	Pages
	Internet gateway	Watering	Water meter	Pressure	Pressure switch	Sensors	Lighting	Pool	Bluetooth®	Wi-Fi	LoRa™	NFC	ANTI-THEFT	9V battery	4xAAA batteries	230V mains		
Bluetooth® range: local control, 9V or AC-powered																		
<b>BL-NR</b>		•							•				•	•			1 station	p.15
<b>WooBee</b>		•	•						•				•	•	•		1-2-4-6 stations	p.17
<b>BL-IP</b>		•	•						•			•	•	•			1-2-4-6 stations	p.16
<b>BL-IS</b>		•							•				•		•		2-4-6-9 stations	p.18
Wi-Fi range: remote access over Wi-Fi, AC-powered																		
<b>SMART-IS</b>		•	•		•				•	•			•			•	2-4-6-9-12 stations	p.22
<b>VILLA</b>		•	•		•				•	•			•			•	4-6-9-12 stations	p.23
LoRa range: Connected Garden, remote access, long range, 9V or AC-powered																		
<b>LR-MB</b>	•								•	•	•		•			•	10 or 30 modules	p.27
<b>LR-NR</b>		•							•		•	•	•	•			1 station	p.29
<b>LR-IP</b>		•	•		•				•		•	•	•	•			1-2-4-6 stations	p.30
<b>LR-IP-ECO</b>		•	•		•				•		•	•	•	•			1-2-4-6 stations	p.31
<b>LR-IS</b>		•	•		•				•		•	•	•			•	2-4-6-9-12 stations	p.33
<b>LR-MS</b>			•		•	•			•		•	•	•	•			2 models: 1 input or 4 inputs	p.36
<b>LR-MS-ECO</b>			•		•	•			•		•	•	•	•			2 models: 1 input or 4 inputs	p.37
<b>LR-PR</b>				•		•			•		•	•	•	•			1 pressure sensor input	p.38
<b>LR-OL</b>									•		•		•			•	4 inputs / outputs	p.43
<b>POOL BOX</b>								•	•		•					•	1 filter pump input and 3 testing sensor inputs	p.44
<b>POOL SENSE</b>								•	•		•				•		3 sensors	p.45

GLOSSARY

**BL:** Bluetooth®  
**LR:** LoRa™

**IP:** Battery Watering  
**IS:** AC Watering

**MB:** Mother Board  
**MS:** Sensor Module

**OL:** Outdoor Lighting  
**NR:** Tap Timer



## Contact

support@solem-irrigation.com | + 33 (0)4 67 59 99 73

commercial@solem-irrigation.com | + 33 (0)4 67 59 99 75

SOLEM is also an expert  
in **connected solutions** for:



URBAN IRRIGATION



AGRICULTURE

 [solem-irrigation.com](http://solem-irrigation.com)



ISO 9001:2015 certified for the design, development, manufacture, sale and after-sales service of smart electronic products.

ZAE La Plaine, 5 rue Georges Besse, 34830 Clapiers, France

